


Djibouti



COUNTRY INDICATORS AND SDGS







7.a.1 Public flows to renewables

35

30

25


20


15

10

5.0

2015 2016 2017 2018 2019 2020






TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2015	2020
Non-renewable (TJ)	6 688	6 127
Renewable (TJ)	3 247	3 854
Total (TJ)	9 935	9 981
Renewable share (%)	33	39


Growth in TES	2015-20	2019-20
Non-renewable (%)	-8.4	-7.8
Renewable (%)	+18.7	+8.2
Total (%)	+0.5	-2.2

Primary energy trade	2015	2020
Imports (TJ)	12 143	11 324
Exports (TJ)	290	150
Net trade (TJ)	- 11 853	- 11 174
Imports (% of supply)	122	113
Exports (% of production)	8	4
Energy self-sufficiency (%)	35	40
	•	

Total energy supply in 2020




Renewable energy supply in 2020




RENEWABLE ENERGY CONSUMPTION (TFEC)

Renewable TFEC trend




Renewable energy consumption in 2020




ELECTRICITY CAPACITY


Installed capacity trend









Renewable capacity in 2022



Net capacity change (GW)




Capacity utilisation in 2021 (%)



ELECTRICITY GENERATION

Generation in 2021	GWh	%
Non-renewable	128	65
Renewable	70	35
Hydro and marine	0	0
Solar	1	0
Wind	69	35
Bioenergy	0	0
Geothermal	0	0
Total	198	100





2019

2018


2020

20%

0%

2021

Per capita electricity generation (kWh)




LATEST POLICIES, PROGRAMMES AND LEGISLATION

0

0

2016


2017



ENERGY AND EMISSIONS


Elec. & heat generation CO₂ emissions in Energy-related CO₂ emissions by sector ■ Elec. & heat ■ Other Industrial ■ Transport ■ Other Buildings (0% 0.8 ■ Coal + others 0.7 0.6 0.0 0.5 ■ Gas Mt CO₂ 0.4 0.3 0.2 ■ Oil 100% 0.1 2016 2017 2018 2019 2020 2021

Avoided emissions from renewable elec. & heat




Avoided emissions based on tossil tuel mix used for power

CO₂ emission factor for elec. & heat generation




Calculated by dividing power sector emissions by elec. + heat gen.

RENEWABLE RESOURCE POTENTIAL



Biomass potential: net primary production



Indicators of renewable resource potential

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Biomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

Sources: IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO; World Bank; IEA; IRENA; and UNSD): UN World Population Prospects; UNSD Energy Balances; UN COMTRADE: World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org.

Last updated on: 8th August, 2023



IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org