Malaysia

10%

8%

6%

4%

2%

0%

-2%


-4%


-6%

-8%


2016


COUNTRY INDICATORS AND SDGS






International Renewable Energy Agency





11.6.2 Air particulate matter (PM_{2.5})




TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2016	2021
Non-renewable (TJ)	3 423 108	3 792 020
Renewable (TJ)	146 123	172 354
Total (TJ)	3 569 231	3 964 374
Renewable share (%)	4	4


Growth in TES	2016-21	2020-21
Non-renewable (%)	+10.8	+2.2
Renewable (%)	+18.0	+3.2
Total (%)	+11.1	+2.2

Primary energy trade	2016	2021
Imports (TJ)	2 068 128	2 250 448
Exports (TJ)	2 265 507	2 277 076
Net trade (TJ)	197 379	26 628
Imports (% of supply)	58	57
Exports (% of production)	59	59
Energy self-sufficiency (%)	107	98

Total energy supply in 2021





Renewable energy supply in 2021




RENEWABLE ENERGY CONSUMPTION (TFEC)

Renewable TFEC trend






ELECTRICITY CAPACITY




Net capacity change in 2023 (MW)




Renewable capacity in 2023



Net capacity change (GW)









Renewable energy consumption in 2021


ELECTRICITY GENERATION



1 Tax Incentive for Carbon Capture Storage	2023
2 Tax Incentive for Company Renting Non-Commercial Electric Vehicle	2023
3 Tax Incentive for Manufacturer of Electric Vehicle Charging Equipment	2023
4 2022 Increase in petroleum product subsidies and Cooking Oil Stabilisation Scheme	2022
5 Fuel Subsidy on Electricity Bill	2022




RENEWABLE RESOURCE POTENTIAL



Annual generation per unit of installed PV capacity (MWh/kWp)

Biomass potential: net primary production



 World
 Malaysia

 80%
 60%

 40%
 20%

 <260</td>
 260-420
 560-670
 670-820
 820-1060
 >1060

Wind power density at 100m height (W/m²)

Indicators of renewable resource potential

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Blomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

Sources: IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO; World Bank; IEA; IRENA; and UNSD); UN World Population Prospects: UNSD Energy Balances; UN COMTRADE; World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (H5). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8.760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org.

Last updated on: 31 July, 2024



IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org