

Thailand



COUNTRY INDICATORS AND SDGS







7.a.1 Public flows to renewables

350

300

250

200

100

55

2015


2016


2017

2018

2019

2020






TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2015	2020
Non-renewable (TJ)	4 585 694	4 540 861
Renewable (TJ)	1 085 542	705 237
Total (TJ)	5 671 236	5 246 098
Renewable share (%)	19	13
	·	


Growth in TES	2015-20	2019-20
Non-renewable (%)	-1.0	-0.9
Renewable (%)	-35.0	-41.3
Total (%)	-7.5	-9.3

Primary energy trade	2015	2020
Imports (TJ)	3 315 183	3 436 120
Exports (TJ)	595 436	538 184
Net trade (TJ)	-2 719 747	-2 897 936
Imports (% of supply)	58	65
Exports (% of production)	19	21
Energy self-sufficiency (%)	55	50

Total energy supply in 2020



Renewable energy supply in 2020




RENEWABLE ENERGY CONSUMPTION (TFEC)

Renewable TFEC trend


■ Electricity ■ Commercial heat ■ Bioenergy 1600 1336 1 311 1 400 _{1 216} 1 2 9 1 1293 1200 Petajoules (PJ) 1000 800 600 400 811 400 200 2015 2016 2017 2018 2019 2020 Consumption by sector 2015 2020 Industry (TJ) 397 826 227 730 Transport (TJ) 64 229 109 193 Households (TJ) 294 895 123 358 Other (TJ) 458 904 350 505

Renewable energy consumption in 2020




ELECTRICITY CAPACITY


Installed capacity trend









Renewable capacity in 2022



Net capacity change (GW)




Capacity utilisation in 2021 (%)



ELECTRICITY GENERATION


Generation in 2021	GWh	%
Non-renewable	151 648	81
Renewable	34 991	19
Hydro and marine	4 287	2
Solar	5 015	3
Wind	3 552	2
Bioenergy	22 135	12
Geothermal	2	0
Total	186 639	100





5 Thailand Alternative Energy Development Plan (AEDP 2015-2036)

Energy-related CO₂ emissions by sector




LATEST POLICIES, PROGRAMMES AND LEGISLATION 1 Incentives for EVs' battery cells 2 Subsidies for Electricity Bills 2023 3 Consumer support package 4 Eco-Car programme-Excise tax 2023 2021


ENERGY AND EMISSIONS




2015








CO₂ emission factor for elec. & heat generation



RENEWABLE RESOURCE POTENTIAL




Distribution of wind potential World Thailand 100% 80% 60% 20%

260-420 420-560 560-670 670-820 820-1060 >1060

Wind power density at 100m height (W/m²)

Biomass potential: net primary production



Indicators of renewable resource potential

< 260

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Biomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

Sources: IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO; World Bank; IEA; IRENA; and UNSD): UN World Population Prospects; UNSD Energy Balances; UN COMTRADE: World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org.

Last updated on: 8th August, 2023



IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org