







COUNTRY INDICATORS AND SDGS




TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2016	2021
Non-renewable (TJ)	124 084	134 184
Renewable (TJ)	107 386	103 450
Total (TJ)	231 470	237 634
Renewable share (%)	46	44


Growth in TES	2016-21	2020-21
Non-renewable (%)	+8.1	+9.6
Renewable (%)	-3.7	-3.3
Total (%)	+2.7	+3.6

Primary energy trade	2016	2021
Imports (TJ)	124 370	153 784
Exports (TJ)	16 995	17 174
Net trade (TJ)	- 107 375	- 136 610
Imports (% of supply)	54	65
Exports (% of production)	16	17
Energy self-sufficiency (%)	46	43

Total energy supply in 2021




Renewable energy supply in 2021




RENEWABLE ENERGY CONSUMPTION (TFEC)

Renewable TFEC trend




Consumption by sector	2016	2021
Industry (TJ)	21 727	12 890
Transport (TJ)	0	0
Households (TJ)	71 335	56 506
Other (TJ)	27 084	58 464

Renewable energy consumption in 2021




ELECTRICITY CAPACITY


Installed capacity trend




Net capacity change in 2023 (MW)




Renewable capacity in 2023



Net capacity change (GW)




Capacity utilisation in 2022 (%)




ELECTRICITY GENERATION

Generation in 2022	GWh	%
Non-renewable	4 552	41
Renewable	6 685	59
Hydro and marine	3 878	35
Solar	975	9
Wind	689	6
Bioenergy	805	7
Geothermal	337	3
Total	11 237	100

Per capita electricity generation (kWh)



Electricity generation trend




LATEST POLICIES, PROGRAMMES AND LEGISLATION


- 2022 Cooking gas price freeze 2022
- Temporary diesel subsidy & tax reduction schemes 2022
- Temporary freeze in electricity price 2022
- NHN 45: 2011 Energy Efficiency of Window Type, Split Type and Package Type Air Conditioners - MEPS 2017
- NHN 47: 2011 - Energy Efficiency of Window Type, Split Type and Package Type Air Conditioners - Test Methods 2017

ENERGY AND EMISSIONS


CO₂ emissions by sector




Elec. & heat generation CO₂ emissions in



Avoided emissions from renewable elec. & heat




CO₂ emission factor for elec. & heat generation




Avoided emissions based on fossil fuel mix used for power

Calculated by dividing power sector emissions by elec. + heat gen.


Distribution of solar potential



Distribution of wind potential



Biomass potential: net primary production



Indicators of renewable resource potential

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Biomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

Sources: IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO: World Bank: IEA: IRENA: and UNSD); UN World Population Prospects; UNSD Energy Balances; UN COMTRADE; World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org

Last updated on: 31 July, 2024



IRENA Headquarters
 Masdar City
 P.O. Box 236, Abu Dhabi
 United Arab Emirates
www.irena.org