

ENERGY PROFILE


North Macedonia









COUNTRY INDICATORS AND SDGS






7.b.1 Per capita renewable capacity




11.6.2 Air particulate matter ($PM_{2.5}$)



TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2016	2021
Non-renewable (TJ)	93 548	92 443
Renewable (TJ)	19 952	22 166
Total (TJ)	113 500	114 609
Renewable share (%)	18	19
Growth in TES	2016-21	2020-21
Non-renewable (%)	-1.2	-3.0




Total energy supply in 2021

Renewable (%)	+11.1	-0.5
Total (%)	+1.0	-2.5


Primary energy trade	2016	2021
Imports (TJ)	71 243	83 074
Exports (TJ)	4 867	7 624
Net trade (TJ)	- 66 376	- 75 450
Imports (% of supply)	63	72
Exports (% of production)	10	19
Energy self-sufficiency (%)	42	35




Renewable energy supply in 2021




RENEWABLE ENERGY CONSUMPTION (TFEC)






ELECTRICITY CAPACITY




Net capacity change in 2023 (MW)

Hydro and marine


Non-renewable




Net capacity change (GW)



Renewable energy consumption in 2021




Capacity utilisation in 2022 (%)




ELECTRICITY GENERATION

Generation in 2022	GWh	%
Non-renewable	4 337	73
Renewable	1 596	27
Hydro and marine	1 3 4 5	23
Solar	92	2
Wind	108	2
Bioenergy	51	1
Geothermal	0	0
Total	5 933	100

Electricity generation trend









LATEST POLICIES, PROGRAMMES AND LEGISLATION

1			
2			
3			
4			
5			






Avoided emissions based on tossil tuel mix used for power

Mt CO2 Emissions


Calculated by dividing power sector emissions by elec. + heat gen.


RENEWABLE RESOURCE POTENTIAL

Distribution of solar potential



Biomass potential: net primary production





Distribution of wind potential

Indicators of renewable resource potential

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Biomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

International Renewable Energy Agency

IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org Prospects; UNSD Energy Balances; UN COMTRADE; World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org.

Last updated on: 31 July, 2024