


# Canada





# COUNTRY INDICATORS AND SDGS















## TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2014	2019
Non-renewable (TJ)	9 793 831	10 825 569
Renewable (TJ)	1 982 835	1 991 851
Total (TJ)	11 776 666	12 817 420
Renewable share (%)	17	16


Growth in TES	2014-19	2018-19
Non-renewable (%)	+10.5	-0.4
Renewable (%)	+0.5	+2.4
Total (%)	+8.8	+0.1

Primary energy trade	2014	2019
Imports (TJ)	3 448 205	3 722 621
Exports (TJ)	11 152 431	13 356 332
Net trade (TJ)	7 704 226	9 633 711
Imports (% of supply)	29	29
Exports (% of production)	57	59
Energy self-sufficiency (%)	167	175

#### Total energy supply in 2019




# Renewable energy supply in 2019




## RENEWABLE ENERGY CONSUMPTION (TFEC)

#### Renewable TFEC trend




#### Renewable energy consumption in 2019




#### **ELECTRICITY CAPACITY**


# Installed capacity trend









# Net capacity change in 2021 (MW)



## Net capacity change (GW)




#### Capacity utilisation in 2020 (%)




#### **ELECTRICITY GENERATION**

Generation in 2020	GWh	%
Non-renewable	214 812	33
Renewable	437 084	67
Hydro and marine	386 506	59
Solar	4 846	1
Wind	35 638	5
Bioenergy	10 094	2
Geothermal	0	Ο
Total	651 896	100







# LATEST POLICIES, PROGRAMMES AND LEGISLATION 1 (Alberta) Technology Innovation and Emissions Reduction Fund 2021 2 (Saskatchewan) Associated Gas Royalty Moratorium 2021 3 2030 GHG reduction commitment 2021 4 Canada-Netherlands Hydrogen Memorandum of Understanding 2021


# **ENERGY AND EMISSIONS**

# Energy-related CO<sub>2</sub> emissions by sector

5 Community Buildings Retrofit (CBR) initiative




Avoided emissions from renewable elec. & heat




CO<sub>2</sub> emission factor for elec. & heat generation • • • • North America **-** • World

2021




Calculated by dividing power sector emissions by elec. + heat gen.

#### RENEWABLE RESOURCE POTENTIAL



# | World | Canada | 100% | 80% | 60% | 40% | 20% | -260 | 260-420 | 420-560 | 560-670 | 670-820 | 820-1060 | >1060 | Wind power density at 100m height (W/m²)

#### Biomass potential: net primary production



#### Indicators of renewable resource potential

**Solar PV:** Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

**Biomass**: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

**Sources:** IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO; World Bank; IEA; IRENA; and UNSD); UN World Population Prospects; UNSD Energy Balances; UN COMTRADE; World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to <a href="mailto:statistics@irena.org">statistics@irena.org</a>.

Last updated on: 24th August, 2022



IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org